Apert syndrome

Apert syndrome is a genetic disorder characterized by the premature fusion of certain skull bones (craniosynostosis). This early fusion prevents the skull from growing normally and affects the shape of the head and face. In addition, a varied number of fingers and toes are fused together (syndactyly).

Many of the characteristic facial features of Apert syndrome result from the premature fusion of the skull bones. The head is unable to grow normally, which leads to a sunken appearance in the middle of the face, bulging and wide-set eyes, a beaked nose, and an underdeveloped upper jaw leading to crowded teeth and other dental problems. Shallow eye sockets can cause vision problems. Early fusion of the skull bones also affects the development of the brain, which can disrupt intellectual development. Cognitive abilities in people with Apert syndrome range from normal to mild or moderate intellectual disability.

Individuals with Apert syndrome have webbed or fused fingers and toes. The severity of the fusion varies; at a minimum, three digits on each hand and foot are fused together. In the most severe cases, all of the fingers and toes are fused. Less commonly, people with this condition may have extra fingers or toes (polydactyly). Additional signs and symptoms of Apert syndrome can include hearing loss, unusually heavy sweating (hyperhidrosis), oily skin with severe acne, patches of missing hair in the eyebrows, fusion of spinal bones in the neck (cervical vertebrae), and recurrent ear infections that may be associated with an opening in the roof of the mouth (a cleft palate).

Frequency

Apert syndrome affects an estimated 1 in 65,000 to 88,000 newborns.

Genetic Changes

Mutations in the *FGFR2* gene cause Apert syndrome. This gene produces a protein called fibroblast growth factor receptor 2. Among its multiple functions, this protein signals immature cells to become bone cells during embryonic development. A mutation in a specific part of the *FGFR2* gene alters the protein and causes prolonged signaling, which can promote the premature fusion of bones in the skull, hands, and feet.

Inheritance Pattern

Apert syndrome is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. Almost all cases of Apert syndrome result from new mutations in the gene, and occur in people with no

history of the disorder in their family. Individuals with Apert syndrome, however, can pass along the condition to the next generation.

Other Names for This Condition

Acrocephalosyndactyly (Apert)

Diagnosis & Management

These resources address the diagnosis or management of Apert syndrome:

- GeneReview: FGFR-Related Craniosynostosis Syndromes https://www.ncbi.nlm.nih.gov/books/NBK1455
- Genetic Testing Registry: Acrocephalosyndactyly type I https://www.ncbi.nlm.nih.gov/gtr/conditions/C0001193/
- MedlinePlus Encyclopedia: Apert syndrome https://medlineplus.gov/ency/article/001581.htm
- MedlinePlus Encyclopedia: Webbing of the fingers or toes https://medlineplus.gov/ency/article/003289.htm

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html

Additional Information & Resources

MedlinePlus

- Encyclopedia: Apert syndrome https://medlineplus.gov/ency/article/001581.htm
- Encyclopedia: Webbing of the fingers or toes https://medlineplus.gov/ency/article/003289.htm
- Health Topic: Craniofacial Abnormalities https://medlineplus.gov/craniofacialabnormalities.html

Genetic and Rare Diseases Information Center

 Apert syndrome https://rarediseases.info.nih.gov/diseases/5833/apert-syndrome

Additional NIH Resources

 National Institute of Neurological Disorders and Stroke: Craniosynostosis Information Page https://www.ninds.nih.gov/Disorders/All-Disorders/Craniosynostosis-Information-Page

Educational Resources

- Boston Children's Hospital http://www.childrenshospital.org/conditions-and-treatments/conditions/apertsyndrome
- Collaboration for Craniofacial Development and Disorders, Johns Hopkins University http://www.hopkinsmedicine.org/neurology_neurosurgery/centers_clinics/ pediatric_neurosurgery/conditions/craniosynostosis/
- Disease InfoSearch: Apert Syndrome http://www.diseaseinfosearch.org/Apert+Syndrome/544
- MalaCards: apert syndrome http://www.malacards.org/card/apert_syndrome
- Orphanet: Apert syndrome http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=87
- Orphanet: Craniosynostosis http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=1531
- Seattle Children's Hospital and Regional Medical Center http://www.seattlechildrens.org/medical-conditions/chromosomal-genetic-conditions/apert-syndrome/
- The Craniofacial Center, Dallas, Texas http://thecraniofacialcenter.com/apert.html
- U.C. Davis Children's Hospital http://www.ucdmc.ucdavis.edu/children/clinical_services/cleft_craniofacial/ anomalies/apert.html

Patient Support and Advocacy Resources

- AmeriFace http://www.ameriface.org/
- Children's Craniofacial Association http://www.ccakids.com
- National Organization for Rare Disorders (NORD) http://rarediseases.org/rare-diseases/apert-syndrome/
- Resource list from the University of Kansas Medical Center http://www.kumc.edu/gec/support/apert.html

GeneReviews

 FGFR-Related Craniosynostosis Syndromes https://www.ncbi.nlm.nih.gov/books/NBK1455

Genetic Testing Registry

 Acrocephalosyndactyly type I https://www.ncbi.nlm.nih.gov/gtr/conditions/C0001193/

ClinicalTrials.gov

ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22Acrocephalosyndactylia%22+OR+
 %22Apert+syndrome%22+OR+%22Craniosynostoses%22

Scientific articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28Acrocephalosyndactylia%5B MAJR%5D%29+AND+%28%28apert+syndrome%5BTIAB%5D%29+OR+ %28acrocephalosyndactyly%5BTIAB%5D%29+OR+%28acrocephaly%5BTIAB %5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last +1440+days%22%5Bdp%5D

OMIM

 APERT SYNDROME http://omim.org/entry/101200

Sources for This Summary

- Carinci F, Pezzetti F, Locci P, Becchetti E, Carls F, Avantaggiato A, Becchetti A, Carinci P, Baroni T, Bodo M. Apert and Crouzon syndromes: clinical findings, genes and extracellular matrix. J Craniofac Surg. 2005 May;16(3):361-8. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15915098
- Chen L, Deng CX. Roles of FGF signaling in skeletal development and human genetic diseases.
 Front Biosci. 2005 May 1;10:1961-76. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15769677
- GeneReview: FGFR-Related Craniosynostosis Syndromes https://www.ncbi.nlm.nih.gov/books/NBK1455
- Ibrahimi OA, Chiu ES, McCarthy JG, Mohammadi M. Understanding the molecular basis of Apert syndrome. Plast Reconstr Surg. 2005 Jan;115(1):264-70. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15622262
- Verma S, Draznin M. Apert syndrome. Dermatol Online J. 2005 Mar 1;11(1):15. *Citation on PubMed:* https://www.ncbi.nlm.nih.gov/pubmed/15748556
- Wilkie AO, Patey SJ, Kan SH, van den Ouweland AM, Hamel BC. FGFs, their receptors, and human limb malformations: clinical and molecular correlations. Am J Med Genet. 2002 Oct 15; 112(3):266-78. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/12357470
- Wilkie AO, Slaney SF, Oldridge M, Poole MD, Ashworth GJ, Hockley AD, Hayward RD, David DJ, Pulleyn LJ, Rutland P, et al. Apert syndrome results from localized mutations of FGFR2 and is allelic with Crouzon syndrome. Nat Genet. 1995 Feb;9(2):165-72.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/7719344

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/apert-syndrome

Reviewed: February 2008 Published: December 28, 2016

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services